



IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JANUARY 1997

VOLUME 33

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

8TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCH TECHNOLOGY (EML)

Baltimore, Maryland, April 21-24, 1996

Symposium Organization	6
Introduction—H. D. Fair	8
Peter Mark Medal	9
Peter J. Kemmey (1933-1996)	10

NATIONAL PROGRAM OVERVIEWS

Electromagnetic launch: a review of the U.S. national program—H. D. Fair	11
An update on the UK electric gun research programme—D. Haugh.....	17
Electrothermal gun research in Europe: summary of major activities and results obtained from German and Franco-German R&D programmes—T. H. G. G. Weise.....	21
Overview of some recent EML efforts within Russia—G. A. Shvetsov	26
Investigations of electromagnetic acceleration and related energy sources in Ukraine—V. T. Chemerys	31

ARMATURES AND LAUNCH PACKAGES

Velocity skin-effect transition conditions on metal-on-metal sliding contacts in muzzle-fed railguns— <i>M. Angeli, E. Cardelli, and B. Azzeroni</i>	37
In-bore stiffness considerations for electromagnetic projectile armatures and boreriders— <i>L. W. Burton</i>	43
Numerical investigation of an ablation-dominated plasma armature— <i>B. Dirr</i>	47
The first generation in the development and testing of full-scale, electric gun-launched, hypervelocity projectiles— <i>D. J. Elder</i>	53
Launch package mass and pulsed power energy estimation for subcaliber electromagnetic railgun projectiles— <i>S. Fish, T. McGall, and E. Howard</i>	63
Large calibre armature firings at Green Farm Electric Gun Test Facility— <i>D. Haugh, D. Kirkpatrick, P. Riedy, T. Wolfe, F. LeVine, and J. Hewitt</i>	68
Computer modeling and prediction of solid armature contact wear and transitioning in electromagnetic guns— <i>D. J. Hildenbrand, J. R. Rapka, and B. J. Long</i>	74
Arcing phenomena in transitioned solid armatures— <i>T. E. James</i>	80

Optimum contact region geometry of solid armatures— <i>T. E. James and D. C. James</i>	86
Spatial effects in a railgun plasma armature— <i>S. S. Katsnel'son and A. V. Zagorskii</i>	92
Spectroscopic measurements of railgun plasma armatures in an augmented railgun using a permanent magnet— <i>S. Katsuki, T. Sueda, Y. Koga, H. Akiyama, and K. N. Sato</i>	98
Metallurgical analysis of an aluminum sabot fired in the Cannon Caliber Electromagnetic Gun (CCEMG)— <i>S. C. Kerwien</i>	104
Launching tactically configured solid armature projectiles from large and medium calibre railguns—results from the DRA test programme— <i>D. Kirkpatrick and D. Haugh</i>	109
A diagnostic technique for understanding startup of metal armatures— <i>E. A. Knoth and A. Challita</i>	115
Design and evaluation of carbon fibre-reinforced launch packages with segmented, copper and molybdenum fibre armatures— <i>M. Koops, T. Huijser, and W. Karthaus</i>	119
Current carrying capacity of solid armatures for railguns at zero speed— <i>R. A. Marshall</i>	125
The IAT electromagnetic launch research facility— <i>J. V. Parker, D. T. Berry, and P. T. Snowden</i>	129
Solid armature performance: a progress review 1980-1990— <i>C. Persad</i>	134
On the nature of the armature-rail interface: liquid metal effects— <i>C. Persad, A. Yeoh, G. Prabhu, G. White, and Z. Eliezer</i>	140
High performance projectile seal development for non perfect railgun bores— <i>T. R. Wolfe, F. E. LeVine, P. E. Riedy, A. Panlasigui, R. S. Hawke, and A. R. Susoeff</i>	146
The current melt-wave model— <i>L. C. Woods</i>	152
Observation and simulation of armature contact performance in the Cannon-Caliber Electromagnetic Gun— <i>A. E. Zielinski and D. J. Hildenbrand</i>	157
Integrated launch package performance in the Cannon-Caliber Launcher— <i>A. E. Zielinski, K. Soencksen, D. W. Webb, and P. Weinacht</i>	163
Railgun solid armature scaling model— <i>R. C. Zowarka, H. D. Yun, and A. Alexander</i>	169

COILGUNS

Finite element modelling of flux concentrators for coilguns— <i>G. Hainsworth and D. Rodger</i>	175
Analysis of launch induced motion of a hybrid electromagnetic/gas gun— <i>E. Kathe, R. Gast, P. Vottis, and M. Cipollo</i>	178
Analysis of generator-driven linear induction launchers— <i>M. Liao, Z. Zabar, E. Levi, and L. Birenbaum</i>	184
Use of electromagnetic coil launcher to increase muzzle velocity of conventional cannons— <i>P. M. Vottis, M. Cipollo, E. Kathe, Z. Zabar, E. Levi, and L. Birenbaum</i>	190
The magnetic levitation of the projectile in coilguns— <i>D. Wang, Q. She, Y. Zhu, and J. Chen</i>	195
Pulsed coilgun limits— <i>S. Williamson and A. Smith</i>	201

COMPUTATIONAL TECHNIQUES

Numerical techniques in electromagnetic compatibility-oriented design of rail launchers operating with plasma armatures— <i>M. Angeli, E. Cardelli, N. Esposito, and A. Musolino</i>	208
Macroparticle launch velocity control in rail accelerators— <i>I. B. Azanov, V. A. Alexandrov, S. S. Obydennikov, V. K. Tyutin, M. M. Khrustalev, and V. I. Yudas</i>	213
Numerical comparison between a differential and an integral approach in MHD simulations of electromagnetic railgun plasma armatures— <i>E. Cardelli, N. Esposito, and M. A. Huerta</i>	219
3-D numerical simulation of plasma armature railguns— <i>N. Esposito, M. Raugi, and A. Tellini</i>	225
Dynamic models of 3-phase alternators including saliency effects using PSpice for Windows— <i>M. Giesselmann</i>	231
3D modeling of sliding electrical contact— <i>K. T. Hsieh and B. K. Kim</i>	237
One kind of scaling relations on electromechanical systems— <i>K. T. Hsieh and B. K. Kim</i>	240
International railgun modeling effort— <i>K. T. Hsieh and B. K. Kim</i>	245
3-D MHD simulation of a railgun hybrid armature— <i>D. Kondrashov and D. Keefer</i>	249
A Maxwell's equation solver for 3-D MHD calculations— <i>D. Kondrashov and D. Keefer</i>	254
Evaluation of railgun inductance by 2-D transient FE analysis— <i>K. Moyama and H. Fukumoto</i>	260
Ultimate kinematic characteristics of armatures with orthotropic and anisotropic electroconductivity— <i>G. A. Shvetsov and S. V. Stankevich</i>	266
Numerical simulation of the compressor coil of the plasma dynamic accelerator— <i>P. Thomas</i>	272

ELECTROTHERMAL AND ELECTROTHERMALCHEMICAL LAUNCHERS

Analysis of solid propellant combustion behavior under electrothermal plasma injection for ETC launchers— <i>M. A. Bourham, J. G. Gilligan, and W. F. Oberle</i>	278
Recent advances in electrothermal-chemical gun propulsion at United Defense, L.P.— <i>A. Chaboki, S. Zelenak, and B. Isle</i>	284
Plasma-fluid interaction and arc resistance in electrothermal launchers— <i>K. Darée, D. Hensel, and K. Zimmermann</i>	289
Observations of visible light emission from interactions between an electrothermal plasma and a propellant— <i>O. E. Hankins, M. A. Bourham, and D. Mann</i>	295
Pulsed-power and high energy plasma simulations for application to electrothermal-chemical guns— <i>G. L. Katulka, W. F. Oberle, G. P. Wren, J. Okamitsu, and N. A. Messina</i>	299
Hypervelocity electric discharge accelerator— <i>V. A. Kolikov, P. G. Rutberg, A. V. Budin, I. P. Makarevitch, and A. A. Bogomaz</i>	305
An analysis of ballistic parameters/mechanisms affecting efficiency in electrothermal-chemical (ETC) guns— <i>W. F. Oberle and G. P. Wren</i>	310
Modeling of the electrothermal ignitor metal vapor plasma for electrothermal-chemical guns— <i>L. L. Raja, P. L. Varghese, and D. E. Wilson</i>	316
Generation of hypervelocity plasma pulses using an electrothermal accelerator— <i>M. Rott</i>	322
Discharge of the plasma generator in electrothermal-chemical launchers— <i>S. Song, Z. Zhou, and C. Sun</i>	328
Early phenomena of capillary discharges in different ambient pressures— <i>T. Sueda, S. Katsuki, and H. Akiyama</i>	334
Preoptimization of large calibre plasmatrusters with a full scale experimental simulator— <i>T. H. G. G. Weise, F. Podeyn, H. Krumm, and V. Venier</i>	340
Setup and performance of a 105mm electrothermal gun— <i>T. H. G. G. Weise, H. G. Wisken, M. J. Löffler, F. Podeyn, H. Krumm, and F. Venier</i>	345
Combustion control requirements in high loading density, solid propellant ETC gun firings— <i>K. J. White, I. Stobie, W. Oberle, G. Katulka, and S. Driesen</i>	350
Consideration of pressure gradients in electrothermal-chemical (ETC) guns— <i>G. P. Wren, W. F. Oberle, and P. S. Gough</i>	356
Optimal energy and mass input into an electro-thermal launcher— <i>A. V. Zagorskii</i>	362

ELECTROMAGNETIC LAUNCH APPLICATIONS

A theoretical and experimental study of the electromagnetic environment surrounding a magnetic induction launcher— <i>P. R. Berning, C. R. Hummer, C. D. Le, and W. O. Coburn</i>	368
Design and operation of the electrogun, an electrothermal gun for producing metal and carbon plasma jets— <i>D. R. Peterson</i>	373
The AMT Maglev Test Sled—EML weapons technology transition to transportation— <i>J. C. Schaaf, Jr., K. Davey, R. C. Zowarka, Jr., and J. M. Weldon</i>	379
Measurement of the muzzle dynamic pressure of the plasma dynamic accelerator— <i>P. Thomas and M. Rott</i>	384

ELECTROMAGNETIC LAUNCH-RELATED MATERIALS PERFORMANCE

Rapid testing for multishot railgun bore life— <i>D. P. Bauer and J. M. Juston</i>	390
Metallurgical post-mortem analysis of the Cannon Caliber Electromagnetic Gun: rails and insulating sidewalls— <i>S. C. Kerwien</i>	395
Characterization of hypervelocity gouge craters in rail conductors— <i>C. Persad, G. Prabhu, G. White, A. Yeoh, and Z. Eliezer</i>	401
Study of new materials for railgun launchers— <i>A. E. Poltanov, N. T. Jygailo, M. Bykov, A. P. Glinov, A. N. Svobodov, A. V. Belyakov, and N. S. Chernetskaya</i>	406
Erosion of explosively compacted Mo/Cu electrodes in high-current arc discharges— <i>G. A. Shvetsov, V. J. Maly, A. G. Anisimov, S. V. Stankevich, A. V. Solovov, and T. S. Teslenko</i>	410
Viscoelastic behavior of composite rotors at elevated temperatures— <i>J. T. Tzeng</i>	413
Liquation cracking and its effects in aluminum alloy armatures— <i>A. Yeoh, G. Prabhu, and C. Persad</i>	419

POWER CONDITIONING AND ENERGY STORAGE

Demonstration of a modular, repetitive-fired 1/4-MJ PFN for ETC guns— <i>D. Bhasavanich, T. daSilva, R. Ford, C. M. Gilman, K. Nielsen, R. Shaw, and P. R. Rohr</i>	426
---	-----

Silicon carbide thyristors for electric guns— <i>T. Burke, K. Xie, H. Singh, T. Podlesak, J. Flemish, J. Carter, S. Schneider, and J. H. Zhao</i>	432
The theoretical analysis of a magnetic flux generator— <i>G. G. Kapustjanenko, S. S. Pignasty, and S. N. Shevjakin</i>	438
Laboratory testing of the pulse power system for the Cannon Caliber Electromagnetic Gun system (CCEMG)— <i>J. R. Kitzmiller, S. B. Pratap, M. D. Werst, C. E. Penney, T. J. Hotz, and B. T. Murphy</i>	443
A modular 300-kJ capacitive pulsed power supply system for the Swedish ETC programme— <i>M. J. Löffler, T. H. G. G. Weise, and A. Berg</i>	449
Pulsed power for electric guns— <i>I. R. McNab</i>	453
Homopolar generators for electric guns— <i>I. R. McNab</i>	461
Combustion driven pulsed linear generators for electric gun applications— <i>P. Mongeau</i>	468
Compulsator rotordynamics and suspension design— <i>B. T. Murphy, S. M. Manifold, and J. R. Kitzmiller</i>	474
Pulse forming network optimal design for the power supply of EML launchers— <i>A. Musolino, M. Raugi, and B. Tellini</i>	480
Design and testing of the power electronics skid for the Cannon Caliber Electromagnetic Gun system— <i>C. E. Penney, T. J. Hotz, J. R. Kitzmiller, and M. D. Werst</i>	484
Solid state switches for electric gun applications— <i>T. F. Podlesak, T. Burke, H. Singh, G. Ayres, and S. Schneider</i>	490
A study of operating modes for compulsator based EM launcher systems— <i>S. B. Pratap, J. P. Kajs, W. A. Walls, W. F. Weldon, and J. R. Kitzmiller</i>	495
Energy storage capacitors: aging, and diagnostic approaches for life validation— <i>W. J. Sarjeant, F. W. MacDougall, D. W. Larson, and I. Kohlberg</i>	501
High temperature superconductor resistive switch characteristics— <i>T. J. Scholz and J. P. Barber</i>	507
Comparison of switching technologies for a tactical EML application— <i>H. Singh, J. L. Carter, and J. Creedon</i>	513
Pulsed rotating machine power supplies for electro-thermal-chemical guns— <i>W. A. Walls, S. B. Pratap, and G. Chryssomallis</i>	519
Superconducting inductive pulsed power supply for electromagnetic launchers: design aspects and experimental investigation of laboratory set-up— <i>W. Weck, P. Ehrhart, A. Müller, and G. Reiner</i>	524

RAIL LAUNCHERS

The railgun experiments on head-on collision of different mass bodies in 10-15 km/s range— <i>E. Drobyshevski, R. Kurakin, S. Rozov, V. Sakharov, A. Studenkov, and B. Zhukov</i>	528
Electromagnetic processes and launch efficiency of railgun systems— <i>O. V. Fat'yanov, S. Usuba, M. Yoshida, Y. Kakudate, H. Yokoi, and S. Fujiwara</i>	532
Investigation of discharge in a railgun by means of Rogowski coils— <i>V. P. Fomichev and S. S. Pravdin</i>	538
The use of currents induced within a conducting shield for railgun performance control— <i>M. P. Galanin, Y. P. Popov, S. S. Khrantsovsky, and A. V. Plekhanov</i>	544
Investigation of techniques to increase armature transition velocity— <i>I. S. Glushkov, Y. A. Kareev, L. G. Kotova, A. T. Kuahenko, and Y. A. Halimullin</i>	549
Installation and commissioning of the 9 MJ range gun system 90 mm high L' laminated railgun— <i>J. D. Herbst</i>	554
Electrical performance of a round bore, augmented, quadrupole railgun— <i>K. A. Jamison and R. E. Stearns</i>	560
A high performance railgun launcher design— <i>J. M. Juston and D. P. Bauer</i>	566
Development and implementation of a rail current optimization program— <i>T. L. King, R. Dharamshi, K. Kim, J. Zhang, M. W. Tompkins, M. A. Anderson, and Q. Feng</i>	571
The study of sliding contact in railgun with metal armature— <i>A. K. Kondratenko, M. A. Bykov, B. S. Schastnykh, A. P. Glinov, and A. E. Poltanov</i>	576
The distributed energy store railgun, its efficiency, and its energy store implications— <i>R. A. Marshall</i>	582
Summary of HEDRC-IVTAN railgun investigations— <i>V. E. Ostashev and V. E. Fortov</i>	589
Muzzle arc control using an inductive shunt— <i>J. V. Parker and S. J. Levinson</i>	594
Conservation of momentum and recoil in the railgun— <i>D. R. Sadedin</i>	599
Design and testing of an Ultra Distributed Energy Store System (UDESS)— <i>T. J. Scholz, J. M. Juston, and D. P. Bauer</i>	604
Study of a transaugmented two-stage small circular-bore railgun for injection of hypervelocity hydrogen pellets as a fusion reactor refueling mechanism— <i>M. W. Tompkins, M. A. Anderson, Q. Feng, J. Zhang, and K. Kim</i>	609
Testing of the Cannon Caliber rapid fire railgun— <i>M. D. Werst, T. J. Hotz, J. R. Kitzmiller, C. E. Penney, and R. M. Telander</i>	613
Railgun modeling with the P-Spice Code— <i>J. Wey, E. Spahn, and M. Lichtenberger</i>	619

A lightweight composite shielding material for electromagnetic gun launchers— <i>W. Williams, K. O'Malley, and C. Le</i>	625
Cannon-caliber electromagnetic launcher— <i>A. E. Zielinski and M. D. Werst</i>	630

SYSTEM ANALYSIS AND INTEGRATION

Summary of the hypervelocity weapon system field experiment*— <i>T. C. Aden, J. L. Brown, V. D. Churchwell, P. Dewar, A. Juhasz, Z. Kaplan, and J. Williams</i>	636
Prime power and pulsed energy storage for EM gun equipped tank combat missions— <i>S. Fish and E. Redding</i>	642
An all-electric vehicle technology demonstrator with a 35-mm electrothermal gun system— <i>M. J. Löffler, J. Kruse, T. H. G. G. Weise, H. Krumm, G. Juhl, C. J. Dammann, M. Heeg, and G. Reiner</i>	647
On the feasibility of mounting an electrothermal chemical gun system on a combat vehicle— <i>T. F. Podlesak, H. Singh, J. Carter, and J. Creedon</i>	651

CONFERENCE AUTHOR INDEX	657
--------------------------------------	-----

IEEE COPYRIGHT FORM	659
----------------------------------	-----

*This paper was presented at the 7th EML Symposium in San Diego, California.