



IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JANUARY 1999

VOLUME 35

NUMBER 1

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

SELECTED PAPERS FROM THE 9TH SYMPOSIUM ON ELECTROMAGNETIC LAUNCH TECHNOLOGY (EML) Edinburgh, Scotland, May 13–15, 1998

Symposium Organization	5
Introduction — H. D. Fair	6
Founder's Award and Medal	8
1998 Peter Mark Medal Presentation	9
Peter J. Kemmey Memorial Student Scholarship	10

NATIONAL PROGRAM OVERVIEWS

The science and technology of electric launch: A U.S. perspective — <i>H. D. Fair and E. M. Schmidt</i>	11
The U.K. electric gun programme in 1998 — <i>D. C. Haugh and M. A. Firth</i>	19
Overview of ETC program in Korea — <i>J. W. Jung, J. S. Kim, K. H. Chung, and H. Yun</i>	23
Electric energy gun technology: Status of the French-German-Netherlands programme — <i>W. J. Kolkert and F. Jamet</i>	25
ETC technology development at Soreq NRC, Israel — <i>D. Melnik, M. Sudai, C. Goldenberg, R. Alimi, L. Perelmuter, D. Zoler, and B. Zingerman</i>	31
Electric launch in Russia: A review of recent results — <i>G. A. Shvetsov, P. G. Rutberg, and V. A. Kolikov</i>	37
EML technology research in China — <i>Y. Wang and Z. Ren</i>	44

ARMATURES AND LAUNCH PACKAGES

Electro-thermal behavior of solid armatures — <i>M. Angeli and E. Cardelli</i>	47
Calculating the liquid film effect on solid armature rail-gun launching — <i>E. M. Drobyshhevski, E. N. Kolesnikova, and V. S. Yuferev</i>	53
Analysis of startup behavior in a "C-shaped" armature using linked EMAP3D/DYNA3D finite element codes — <i>D. A. Hopkins, F. Stefani, K. T. Hsieh, and B. K. Kim</i>	59
Investigations on magnetic field in the interface regions between plasma armature and rail electrodes in a railgun — <i>Z. Jiyan, H. Junjia, Q. Shihong, and C. Lichun</i>	65
Influence of the armature-rail geometry on results of launch experiments of fibre armatures with railguns — <i>W. Karthaus, T. Huijser, and W. J. Kolkert</i>	68

Electromagnetic and structural analyses of an integrated launch package — <i>H. P. Liu, Y. L. Ting, R. C. Zowarka, and A. Alexander</i>	74
Recent muzzle-fed railgun experiment on metal armature for arcless acceleration — <i>A. P. Lototsky, Y. A. Kareev, A. A. Nikolashin, Y. A. Halimullin, E. P. Polulyah, M. P. Galanin, and S. S. Kramtsovsky</i>	79
Observation and simulation of solid-armature railgun performance — <i>J. D. Powell and A. E. Zielinski</i>	84
Launch package for multiple-rod hypervelocity impact investigation — <i>A. F. Savvateev, A. V. Budin, V. A. Kolikov, and P. G. Rutberg</i>	90
In-bore measurements using an optical data link — <i>K. A. Schroder, R. J. Allen, J. V. Parker, and P. T. Snowden</i>	95
Experiments to measure wear in aluminum armatures — <i>F. Stefani and J. V. Parker</i>	100
First measurements of current distribution in moving fiber-armatures in railguns — <i>J. Wey, P. Lehmann, R. Charon, D. Eckenfels, and C. Gauthier</i>	107
Effect of railgun electrodynamics on armature discard — <i>A. E. Zielinski, P. Weinacht and J. D. Powell</i>	112
Effect of railgun electrodynamics on projectile launch dynamics — <i>A. E. Zielinski and P. Weinacht</i>	118
Improved integrated launch package ballistic performance — <i>A. E. Zielinski and P. Weinacht</i>	124
COILGUNS	
Thermal and mechanical stress in induction coilguns — <i>G. Becherini, M. Raugi, and A. Tellini</i>	130
A coilgun-based plate launch system — <i>P. R. Berning, C. R. Hummer and C. E. Hollandsworth</i>	136
The test and analysis of a 3-stage reconnection coilgun — <i>S. S. Gao, C. W. Sun, Y. M. Zhu, J. J. Cheng, and D. M. Wang</i>	142
On the design of a coilgun as a rapid-fire grenade launcher — <i>M. Liao, Z. Zabar, D. Czarkowski, E. Levi, and L. Birenbaum</i>	148
3-D field analysis in tubular induction launchers with armature transverse motion — <i>A. Musolino, M. Raugi, and B. Tellini</i>	154
The design and structural analysis of a coilgun for low acceleration of heavy loads — <i>D. M. Wang, P. Liu, H. Q. Liu, J. J. Cheng, and Y. M. Zhu</i>	160
COMPUTATIONAL TECHNIQUES	
Implementing tri-potential approach in EMAP3D — <i>K. T. Hsieh and B. K. Kim</i>	166
A three-dimensional finite element model for thermal effect of imperfect electric contacts — <i>B. K. Kim, K. T. Hsieh, and F. X. Bostick</i>	170
ELECTROTHERMAL AND ETC LAUNCHERS	
The effect of external pressure on the plasma parameters in ablative capillary discharges — <i>R. Alimi, C. Goldenberg, L. Perelmuter, D. Melnik, and D. Zoler</i>	175
Results from initial ETC closed vessel experiments — <i>S. Andreasson and M. U. Carlson</i>	181
Thermodynamic assessment of a nitro-organic plasma with an experimental design method — <i>L. Brunet, P. André, J. M. Lombard, and F. Caillau</i>	185
Multipulse discharge in the chamber of electric discharge launcher — <i>A. V. Budin, A. A. Bogomaz, V. A. Kolikov, P. G. Rutberg, and A. F. Savvateev</i>	189
Simulation of plasma radiation in electrothermal-chemical accelerators — <i>K. Kappen and U. H. Bauder</i>	192
Experimental characterization of plasma effects on energetic materials for electrothermal-chemical launch applications — <i>G. L. Katulka, K. J. White, W. F. Oberle, P. Kaste, R. Pesce-Rodriguez, and M. Leadore</i>	197
Emission spectroscopic measurements and analysis of a pulsed plasma jet — <i>J. M. Kohel, L. K. Su, N. T. Clemens, and P. L. Varghese</i>	201
Energy distribution and radiative heat loss in electrothermal-chemical (ETC) closed chambers — <i>W. Oberle and G. Wren</i>	207
Plasma propagation and ignition of propellant in the chamber of a SPETC gun — <i>L. Perelmuter, C. Goldenberg, M. Sudai, R. Alimi, M. Furman, D. Kimhe, G. Appelbaum, S. Arie, Z. Zeevi, and D. Melnik</i>	213
Current distribution and resistance characteristics in plasma injectors for electrothermal-chemical launch — <i>J. D. Powell, L. D. Thornhill, J. H. Batteh, and M. Verdon</i>	218
The interaction of electrothermally supplied energy with compact solid propellants — <i>A. M. Voronov, H. K. Haak, and T. H. G. G. Weise</i>	224
Theoretical analysis of an external pulsed plasma jet — <i>D. E. Wilson, K. Kim, and L. L. Raja</i>	228
Influence of radiation on grain heating in ETC closed chambers — <i>G. Wren, W. Oberle, and A. Hosangadi</i>	234
Flow dynamics and microparticles acceleration in the electrothermal launcher — <i>E. Y. Shkolnikov, M. Y. Guzeyev, S. P. Maslennikov, A. V. Melnik, and A. V. Chebotarev</i>	240

EML APPLICATIONS

Design and development of a novel flux compression generator for landmine detection applications — <i>T. G. Engel, W. C. Nunnally, and N. B. VanKirk</i>	245
Early electric gun research — <i>I. R. McNab</i>	250
Application of electromagnetic guns to future naval platforms — <i>W. A. Walls, W. F. Weldon, S. B. Pratap, M. Palmer, and Lt. D. Adams</i>	262
Electromagnetic powder deposition experiments — <i>R. C. Zowarka, J. R. Uglum, J. L. Bacon, M. D. Driga, R. L. Sledge, and D. G. Davis</i>	268

MATERIALS

Simulation of railgun gouging — <i>D. L. Bourell and C. Persad</i>	274
Subscale rotor spin testing for compulsator component development — <i>K. G. Cook, B. T. Murphy, S. M. Manifold, T. Pak, M. D. Werst, J. R. Kitzmiller, W. A. Walls, A. Alexander, and K. Twigg</i>	277
High strain insulation systems for compulsator rotors — <i>J. J. Hahne, C. A. Graf, J. R. Kitzmiller, W. A. Walls, W. G. Brinkman, A. Alexander, and D. Russo</i>	283
The evaluation and testing of graphite fiber composite materials for high speed rotors — <i>G. Nagy, S. Rosenwasser, and G. Mehle</i>	289
Ablation measurements on EML insulators using free-arcs — <i>K. B. Norooz, T. L. King, and K. Kim</i>	294
Progress in materials for EML: Review and preview — <i>C. Persad</i>	300
The design, fabrication and characterization of an advanced graphite composite structure for high speed rotating machines — <i>S. Rosenwasser, G. Nagy, and G. Mehle</i>	307
Experiments to measure gouging threshold velocity for various metals against copper — <i>F. Stefani and J. V. Parker</i>	312

POWER CONDITIONING AND ENERGY STORAGE

Energy storage capabilities of rotating machines including a comparison of laminated disk and rim rotor composite designs — <i>R. Acebal</i>	317
High-current vacuum switching devices for power energy storages — <i>D. F. Alferov, V. P. Ivanov, and V. A. Sidorov</i>	323
Performance simulation of pulsed power supply system for electrothermal launcher — <i>K. V. Dubovenko and V. T. Chemerys</i>	328
Modeling of multiple liner containment systems for high speed rotors — <i>K. A. Dulaney, J. H. Beno, and R. C. Thompson</i>	334
Development of a flux compression power unit for millisecond ETC pulsed power applications — <i>E. B. Goldman, F. Davies, K. J. Bickford, E. Smith, P. Williams, and M. Leone</i>	340
Single shot switch performance on the cannon caliber electromagnetic gun program — <i>T. J. Hotz, C. E. Penney, J. R. Kitzmiller, and M. D. Werst</i>	346
A high-capacity triggered vacuum switch with single axial magnetic field electrode — <i>H. Junjia, Z. Jiyan, Q. Shihong, and W. Hai</i>	352
Analysis of high-temperature materials for application to electric weapon technology — <i>G. L. Katulka, J. Kolodzey, and J. Olowolafe</i>	356
Analysis of the combustion driven linear generator for electric gun applications — <i>J. Li, Y. Wang, and M. Gao</i>	361
Characterization of triggered vacuum switches for high current operation — <i>J. A. Pappas, S. P. Pish, and M. J. Salinas</i>	367
Compensation in pulsed alternators — <i>S. B. Pratap and M. D. Driga</i>	372
A compact pulse forming network, based on semiconducting switches, for electric gun applications — <i>E. Spahn, G. Buderer, and W. Wenning</i>	378
Demonstration of a superconducting inductive pulsed power supply at simulated load conditions — <i>W. Weck, P. Ehrhart, A. Müller, H. Schölderle, and E. Sturm</i>	383
Continued testing of the cannon caliber electromagnetic gun system (CCEMG) — <i>M. D. Werst, C. E. Penney, T. J. Hotz, and J. R. Kitzmiller</i>	388
A 540 kJ modular capacitive pulsed power supply system for basic investigations on ETC-performance — <i>H. G. Wisken, F. Podeyn, and T. H. G. G. Weise</i>	394

RAIL LAUNCHERS

Rail heating analysis for multishot EM gun operation — <i>S. Fish, C. Phipps and V. Tang</i>	398
Efficiency, performance limits and scaling of rail launchers — <i>T. E. James</i>	403
Metal bodies transition velocity in railguns with traditional and muzzle current supply — <i>Y. A. Kareev and A. T. Kuharenko</i>	409
Effect of rail/armature geometry on current density distribution and inductance gradient — <i>B. K. Kim and K. T. Hsieh</i> ...	413
Electrical and thermal effects of rail cladding — <i>S. Levinson, J. V. Parker, K. T. Hsieh, and B. K. Kim</i>	417
Laminated low cost rails and armatures for rail launchers — <i>R. A. Marshall</i>	423

Railgun bore geometry, round or square? — <i>R. A. Marshall</i>	427
The STAR railgun concept — <i>I. R. McNab</i>	432
Experimental observation of the rail resistance contribution to muzzle voltage — <i>J. V. Parker</i>	437
Loss of propulsive force in railguns with laminated containment — <i>J. V. Parker and S. Levinson</i>	442
Preliminary experimental results of a novel induction type railgun — <i>A. Yamori, M. Kohno, and N. Kawashima</i>	447
Secondary arc dynamics in a railgun bore — <i>A. Yamori, M. Kohno, and N. Kawashima</i>	452
In-bore electric and magnetic field environment — <i>A. E. Zielinski, C. D. Le, and J. A. Bennett</i>	457
Railgun electric fields: theory and experiment — <i>A. E. Zielinski, C. D. Le, J. A. Bennett, and I. Kohlberg</i>	463
The effects of projectile injection on rail ablation in arc-driven railguns — <i>Z. Zhikui, S. Jianxun, S. Chengwei, and O. Kai</i>	469
SYSTEM ANALYSIS AND INTEGRATION	
Influence of combat vehicle system constraints on EML technology development — <i>R. J. Taylor</i>	473
Integrated thermal management of a hybrid electric vehicle — <i>R. Traci, R. Acebal, and T. Mohler</i>	479
EM gun scaling relationships — <i>H. Yun</i>	484
CONFERENCE AUTHOR INDEX	
IEEE COPYRIGHT FORM	491